

PSI 063 312 F



Inductive Proximity Sensors

Product image

Technical parameters

Nominal Sensing Distance S_n 1,5 mm	Effective Sensing Distance S_r 1,2 – 1,8 mm
Housing Dimensions ø 6,5	Mounting Non-Flush
Hysteresis (0,1 -0,15) x S_n	Nominal Voltage U_n 24 VDC
Supply Voltage U_c 10 – 30 VDC	Supply Current I_c < 10 mA
Output Current I_z ? 200 mA	Switching Frequency 1 kHz
Short-Circuit Protection Yes	Polarity Reversal Protection Yes
Output Type NPN nc	Housing Material Nickel Plated Brass
Ambient Temperature Range T -25°C...+70°C	Target Presence Indicator LED
Output Type Cable PVC 3 x 0,25 mm ²	Cable Length 2 m
Protection Standard IP 68	

Dimensions



Company Head Office
PLOSKON AT s.r.o.
Jesenná 1
080 01 Prešov
Slovak Republic

Telephone
+421 / (0)51 7732 836
+421 / (0)51 7731 003

E-mail
obchod@ploskon.sk

Website
www.ploskon.sk

Billing information
PLOSKON AT s.r.o.
I?O:36483354
DI?:2020009860